

SC3 9^D



Norwegian Sportswear by P&B

Matching Sweaters and Caps for him or her

with a gay raglan for the 10-year-old

Matching Sweaters—Woman's

MATERIALS

13 oz. Black, 1 oz. each Red, Gold, Green and White, PATONS PURPLE HEATHER Fingering 4-ply. Two No. 13 and two No. 11 BEEHIVE or QUEEN BEE needles, set of four No. 13 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge. Four BEEHIVE stitch-holders.

MEASUREMENTS

To fit 34–36 inch bust. Length at centre

back, 24 ins. Sleeve seam, 17 ins.

The square brackets [] refer to the man's size through out.

TENSION

7½ sts. and 9½ rows to one square inch on No. 11 needles, measured over stocking stitch. *See page 2 for how to check your Tension and Abbreviations.*

Matching Sweaters—Man's

MATERIALS

18 oz. Black, 2 oz. each Red, Gold, Green and White PATONS MOOR-

PLEASE READ THIS FIRST

ABBREVIATIONS

K.=knit; P.=purl; K.B.=knit into back of stitch; st.=stitch; sl.=slip; tog.=together; .inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches; M.1=Make 1 by picking up loop that lies between st. just worked and following st. and working into back of it.

HOW TO CHECK YOUR TENSION

Before you knit these designs check your tension carefully. Take a pair of No.11 needles and some Patons Purple Heather Fingering 4-ply. Cast on 15 stitches and work in stocking stitch—1 row knit; 1 row purl—for 19 rows. Cast off; press lightly on wrong side. The tension should be 7½ sts. and 9½

rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this book. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

STRANDING

In working designs using two or more colours, we recommend stranding the colours by carrying those not in use loosely across the back of the fabric. Do not strand colours over more than 5 sts. When a loose thread must pass over more than 5 sts. weave it over and under the colour in use at centre point of the sts. it passes over.

LAND Double Knitting. Two No. 11 and two No. 9 BEEHIVE or QUEEN BEE needles, set of four No. 12 QUEEN BEE needles with points at both ends, Four BEEHIVE stitch-holders.

MEASUREMENTS

To fit 40-42 inch chest. Length at centre back, 25½ ins. Sleeve seam, 18 ins. *The square brackets [] refer to the Man's size throughout.*

TENSION

5½ sts. and 7½ rows to one square inch on No. 9 needles, measured over stocking stitch. *See page 2 for how to check your Tension and Abbreviations.*

Both Models FRONT

Using No. 13 [11] needles and Black 4-ply [Moorland], cast on 139 [127] sts. Work in K.1, P.1 rib for 3 ins. **Change to No. 11 [9] needles** and work 4 rows in stocking stitch. Work rows 1 to 18 incl. from Chart A. Work 2 rows in stocking stitch. Proceed in fancy rib patt. thus:—**1st row**—* K.B.3, P.1, rep. from * to last 3 sts., K.B.3. **2nd row**—* P.3, K.1, rep. from * to last 3 sts., P.3. These 2 rows form the patt. Continue in patt. until work measures 14 [14½] ins. from beg., finishing at end of a 2nd row.

Commence **armhole shaping** by casting off 5 [2] sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 109 [109] sts. remain, thus finishing so that **wrong** side of work will be facing when working next row. **Next row**—P.** Work rows 1 to 56 incl. from Chart B., dec. 1 st. at both ends of next and every alt. row (53 [53] sts.).

Next row—K.2 tog., K.15, turn and continue on these 16 sts. as shown on Chart, dec. on every alt. row at

SC3

armhole edge as before **at the same time** dec. 1 st. at neck edge on every row until 1 st. remains. Fasten off. Slip next 19 sts. on to a stitch-holder and leave. Rejoin wool to remaining sts. and work to match other half of neck, reversing all shapings.

BACK

Work as Front to **.

Work rows 1 to 68 Chart B, dec. 1 st. at both ends of next and every alt. row (41 [41] sts.).

Slip sts. on to a stitch-holder and leave.

SLEEVES

Using No. 13 [11] needles and Black, cast on 66 [60] sts.

Work in K.1, P.1 rib for 3 ins.

Next row—Rib 3 [5], * inc. in next st., rib 4 [7], rep. from * to last 3 [7] sts., inc. in next st., rib to end (79 [67] sts.).

Change to No. 11 [9] needles and work 4 rows in stocking stitch.

Work rows 1 to 18 incl. Chart A.

Work 2 rows in stocking stitch.


Proceed in rib patt. as on Front, inc. 1 st. at both ends of next and every following 5th row until there are 115 [103] sts. Continue on these sts.

until work measures 17 [18] ins. from beg., finishing at end of a 2nd row.



KEY

- BLACK
- ▤ RED
- ⊗ GOLD
- GREEN
- WHITE



Shape top by casting off 5 [2] sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 85 [85] sts. remain. **Next row—P.** Work rows 1 to 68 Chart B., dec. 1 st.

P.1 rib, with wrong side of work facing block fabric by pinning out round edges. Omitting K.1, P.1 rib, press fabric lightly using a warm iron and damp

cloth. Using a back-stitch seam join side and sleeve seams.

Fold neckband at centre and flat stitch cast-off edge to knitted up edge on right side of work. Press seams.

Cap—Woman's

MATERIALS

2 oz. Black PATONS PURPLE HEATHER Fingering 4-ply. Oddments of colours from Sweater for border. Two No. 11 BEEHIVE or QUEEN BEE needles.

Tension—As Sweater page 2.

Cap—Man's

MATERIALS

3 oz. Black PATONS MOORLAND Double Knitting. Oddments of colours from Sweater for border. Two No. 9 BEEHIVE or QUEEN BEE needles.

Tension—As Sweater page 3.

Both Models.

Using No. 11 [9] needles and Black 4-ply [Moorland], cast on 139 [115] sts.

Work 5 rows in K.1, P.1 rib.

Next row—P.

Work 2 rows in stocking stitch.

Work rows 1 to 18 Chart A.

Work 2 rows in stocking stitch.

Woman's Model

Next row—K.23, (inc. in next st., K.45) twice, inc. in next st., K. to end (142 sts.).

Man's Model

Next row—K.2 tog., K. to end (114 sts.).

Both Models

Proceed in K.1, P.1 rib until work measures $7\frac{1}{2}$ [$9\frac{1}{2}$] ins. from beg., dec. 1 st. at beg. of last row, finishing so that **wrong** side of patt. will be facing when working next row (141 [113] sts.).

Shape crown as follows:—

1st row—P.2 tog., * (K.1, P.1) 5 times, K.1, sl.2, K.1, pass 2 slip sts. over, rep. from * to last 13 sts., (K.1, P.1) 5 times, K.1, P.2 tog.

2nd row—(K.1, P.1) 6 times, * P.2, (K.1, P.1) 5 times, rep. from * to last st., K.1.

3rd row—(P.1, K.1) 6 times, * K.2, (P.1, K.1) 5 times, rep. from * to last st., P.1.

4th row—As 2nd row.

5th row—K.2 tog., * (P.1, K.1) 4 times, P.1, sl.2, K.1, pass 2 sl. sts. over, rep. from * to last 11 sts., (P.1, K.1) 4 times, P.1, K.2 tog.

6th row—* P.1, K.1, rep. from * to last st., P.1.

7th row—* K.1, P.1, rep. from * to last st., K.1.

8th row—As 6th row.

9th row—P.2 tog., * (K.1, P.1) 3 times, K.1, sl.2, K.1, pass 2 sl. sts. over, rep. from * to last 9 sts., (K.1, P.1) 3 times, K.1, P.2 tog.

10th row—(K.1, P.1) 4 times, * P.2, (K.1, P.1) 3 times, rep. from * to last st., K.1.

11th row—(P.1, K.1) 4 times, * K.2, (P.1, K.1) 3 times, rep. from * to last st., P.1.

12th row—As 10th row.

13th row—K.2 tog., * (P.1, K.1) twice, P.1, sl.2, K.1, pass 2 sl. sts. over, rep. from * to last 7 sts., (P.1, K.1) twice, P.1, K.2 tog.

14th row—As 6th row.

15th row—P.2 tog., * sl.2, K.1, pass 2 sl. sts. over, rep. from * to last 2 sts., P.2 tog.

16th row—P.2 tog., * sl.2, K.1, pass 2 sl. sts. over, rep. from * to last st., P.1.

Thread wool through remaining sts. and fasten off securely.

TO MAKE UP

Press lightly on wrong side. Using a back-stitch seam join seam, reversing seam for turn up at lower edge. Press seam. Using Yellow, Red and Green [Red and Yellow] make a pom-pom. Trim pom-pom and attach to centre of crown.

Girl's Norwegian Raglan on the back cover

suitable for a 10-year-old

MATERIALS

10 oz. Red, 2 oz. White, 2 oz. Blue, 2 oz. Dark Blue, 1 oz. Yellow, PATONS MOORLAND Double Knitting, or PATONS DOUBLE QUICK Knitting. Two No. 11 and two No. 9 BEEHIVE or QUEEN BEE needles, set of four No. 11 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge. Two BEEHIVE stitch-holders. *You must use the P & B brands recommended above to be sure of a successful result.*

MEASUREMENTS

To fit 30 inch chest. Length at centre back (excluding neckband), 19½ ins. Sleeve seam, 15 ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

5¾ sts. and 7¾ rows to one square inch on No. 9 needles, measured over stocking stitch. *See page 2 for how to check your Tension and Abbreviations.*

BACK

Using No. 11 needles and Red, cast on 84 sts.

Work in K.1, P.1 rib for 2 ins., inc. 1 st. at end of last row (85 sts.).

Change to No. 9 needles and P. 1 row.

Work rows 1 to 9 Chart A.



KEY

- RED
- ⊗ WHITE
- ⊙ BLUE
- ◻ DK. BLUE
- ◻ YELLOW

Using Red, continue in stocking stitch until work measures $11\frac{1}{2}$ ins. from beg., finishing at end of a K. row.

Next row—P.7, (M.1, P.14) 5 times, M.1, P. to end (91 sts.).

Work rows 1 to 4 incl. Chart B.

Keeping patt. correct throughout as on Chart B, **shape raglan armholes** by casting off 5 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of next and every alt. row until 52nd row Chart B. has been worked.

Still using Dark Blue, continue dec. on every alt. row as before until 29 sts. remain.

Using Dark Blue, work 4 rows on these sts.

Slip these sts. on to a stitch-holder and leave.

FRONT

Work as Back until armhole shaping is reached.

Work raglan armholes as on Back until 39 sts. remain, finishing at end of a dec. row.

Next row—Work 10, work next 19 sts. on to a stitch-holder and leave, work 10.

Proceed on **each** group of 10 sts. as follows:—

Working to match Back, dec. 1 st. at both ends of next and every alt. row until 2 sts. remain.

Work 1 row, K.2 tog., fasten off.

SLEEVES

Using No. 11 needles and Red, cast on 52 sts.

Work in K.1, P.1 rib for 2 ins.

Next row—P.6, (M.1, P.5) 8 times, M.1, P. to end (61 sts.).

Change to No. 9 needles and work rows 1 to 9 Chart A.

Continue in stocking stitch in Red, inc. 1 st. at both ends of next and every following 12th row until there are 75 sts.

Continue on these sts. until work measures $14\frac{1}{2}$ ins. from beg., finishing at end of a K. row.

Next row—P.6, (M.1, P.9) 7 times, M.1, P. to end (83 sts.).

Work rows 1 to 4 incl. Chart B., noting that extra 2 sts. at beg. and end of each row should be worked in red.

Keeping patt. correct throughout, **shape raglan top** by casting off 6 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of every row until 49 sts. remain, every alt. row until 9 sts. remain.

Cast off.

TO MAKE UP

Omitting ribbing, block and press each piece on wrong side using a warm iron and damp cloth. Using a back-stitch seam join side and sleeve seams and stitch Sleeves into position matching shapings. Stitch 4 rows at top of Back to 4 of sts. along top of Sleeve.

NECKBAND

With right side of work facing, using set of No. 11 needles and White, **knit up** 88 sts. round neck, including sts. from stitch-holders.

Work in rounds of K.1, P.1 rib for $4\frac{1}{4}$ ins.

Cast off loosely in rib.

Press seams.

*Please address knitting enquiries concerning this booklet to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland*

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co., Ltd., Bradford and London 9016

INCHES
1
2
3
4
5
6
7

Norwegian
Sportswear
by P&B

SC3 9^D



P&B
WOOLS